






























Product catalogue






Professional Tools for the Flooring Trade

Part Number	Product	Description	Image
94380	MEGA-SCRAPERS	Aluminium body at an angle with regard to the tube. Telescopic handle. Automatic locking system by turning the handle round a quarter at the required length. Blade width : 20 cm. Spare blades 92530.	
92530	5 SPARE BLADES FOR MEGA SCRAPER		
94345	HEAVY BALL SCRAPER	Steel tube and body. Zamak body. Length : 30 cm. Blade width : 10 cm. Uses blades 92520/92560. Weight : 800 g.	
92520	10 SPARE BLADES FOR SCRAPER		
94241	11 X 250 mm MONOBLOC SPIKED ROLLERS	To spread levelling compounds from mixing pumps and eliminate air bubbles. Supplied with metal frame and protector	
94242	11 X 500 mm		
91150	DELPHIN [®] KNIFE	Made of cast aluminium. Opening by turning the knurl on the side. Supplied with a protective plastic case, without blade.	
94964	ANTI BOUNCE MALLET	For assembling LVT click planks. Shocks absorbed. Does not leave marks. Weight : 880 g.	
93200	LASERMETER F-04	Quick, simple, lightweight, accurate. Measures from the front or the rear base. 2-line digital screen (last measure and result) Simple or continuous measurement. Measures distance, surface, volume. Pythagoras feature (2 points, 3 points). Addition / Subtraction. Supplied with holster, strap, 2 AA batteries	
91115	TAUREX [®] KNIFE	Body made of zamak. Rounded form and polymer grip making it extremely comfortable to use. Supplied in blister card with 3 straight blades and 3 hook blades (W8).	
691101	PAINTED KNIFE	Red paint finish. Supplied without blade.	
691102	POLISHED KNIFE	Finely polished, shiny finish. Supplied without blade.	
92236	100 SUPER HOOK BLADE	Thickness 0.65 mm. Packed in safety dispenser.	
92300	100 CONCAVE BLADE	Thickness 0.65 mm. Packed in safety dispenser.	
92136	100 LONG STRAIGHT BLADE - 60 mm	60 mm, thickness 0.65 mm. Packed in safety dispenser.	
93227	DOUBLE SQUARE FORMER SET	Containing 2 former sets of 20 cm each. Can also be fitted into each other to make a 40 cm former set.	
91538	CONVEX RULERS	Rulers of more than 2.10m x 8cm are supplied with a metal holding clip.	
91550	ADJUSTABLE STRAIGHT RULER WITH HANDLE	For joint cutting at thresholds. Extendible from 0.63 to 1 m. Stainless steel. Width : 70 x 0.5 mm.	
93226	METAL FORMER SET	Fitted with metal needles. Length : 15 cm. Supplied in blister card.	












Part Number	Product	Description
95430	WALL SCRIBER	For drawing along walls using a pencil. Ideal for coving PVC or linoleum or installing skirtings or edge profiles. Length: 21 cm. Max. height: 20 cm. Supplied with one pencil. 
92700	100 STANDARD SNAP OFF BLADES - 18 mm	Width 18 mm. Thickness 0.50 mm. 7 segments. 
91410	HIGH-TECH TRIMMER	Angle adjustment by tilting the knurl. Small angle "A" is required for a perfect cut of a thick floor covering and larger angle "B" is required for a thin one. Uses blades 92416. Supplied with 2 blades. 
92416	100 BLADES FOR HIGH-TECH TRIMMER	Thickness 0.65 mm. 
91400	CARPET & VINYL TRIMMER	Registered design. For easy trimming of thin floor coverings. Uses blades 92406. Supplied with 2 blades (not mounted), packed in blister card. 
92416	100 BLADES FOR CARPET AND VINYL TRIMMER	Thickness 0.65 mm. 
95510	«PROVINOL» EDGE TRIMMER	For PVC and linoleum. Supplied with an adjustable Ø 40 mm round blade. Seamless cut wall to wall from 2 to 27 mm. Suitable for cutting: <ul style="list-style-type: none"> • 2 overlapping strips • protective edges on linoleum rolls. 
95512	2 SPARE BLADES FOR «PROVINOL», Ø 40mm	
95520	LINO-CUT JOINT CUTTER	For cutting PVC and linoleum. Adjustable cutting depth. Can be used in both directions. 
95521	10 SPARE BLADES FOR LINO-CUT	

Part Number	Product	Description
93760	MINI UNROLLING TROLLEY	For floor covering unrolling and handling. Rustproof steel structure. 4 Ø 60 mm nylon wheels, 2 of which with brake. L. 320 x W. 250 x H. 200 mm. Max. load: 100 kg. 
91665	HARD CAP KNEE PADS	Perfectly adapted for an intensive professional use. Waterproof, wear and abrasion resistant. perfect for knee protection. Adjustable auto-grip fastening straps. EN 14404 Type 1 
93135	INTERNAL ANGLE ROLLER	For "breaking" and smoothing the wall covering in internal angles. 
93138	DOUBLE ANGLE ROLLER	For smoothing internal and external angles. Wooden handle. Metal shank. 
93170	STEEL ROLLER	For butt joints of floor coverings. Especially adapted to be used alongside skirtings. Width: 50 mm. Weight: 1 kg. 
93145	CORK PRESS	To smooth PVC and linoleum floor coverings without marking surface. Dimensions: 300 x 120 x 25 mm. 
193160	PRESS ROLLER	50 kg 
93169	DOUBLE STEEL ROLLER	Strong pressure for good joint smoothing, even under radiators. 
93155	LIGHTWEIGHT RUBBER ROLLER	To smooth all kinds of floors. Allows to smooth with the body weight (pressure from 8 to 80 kg). Length: 1.30 m. Total width: 45 cm. Weight: 5 kg. 
93165 193160	CORK BROOM	To smooth PVC and linoleum floor coverings without marking surface. To be used before using the linoleum roller. Cork plate with rounded angles. Length : 1.30 m. Width : 40 cm. Weight : 3 kg. 

Part Number	Product	Description
95185	TRIANGULAR GROOVER	To make a "V" groove. For GERFLOR floor coverings. Wide joints. Wooden handle. Brass plated ferrule. Dimensions: 24 x 6 cm. 
91580	THICK RULER	To guide the grooving tool when making grooves for PVC hot welding. Thickness: 4 mm. Dimensions: 800 x 60 x 4 mm. Mill alu. 
95125	WALL GROOVER	To make a "U" groove in thin wall coverings (e. g. in shower cubicles). Pre-adjusted unique blade depth. 
95126	SPARE BLADE FOR WALL GROOVER	
95175	ROUNDED GROOVER	To make a "U" (round) groove. Universal groover. Length: 24 cm. Tight joint. 
95101	LINEA GROOVER	To make a "U" groove without ruler, in a regular and uniform way. Frame with 4 guiding castor wheels. Tight joint. 
95120	PICO GROOVER	To make a "U" groove without ruler, in a regular, uniform and rapid way. New guiding system (no play) for more precision. Can be used in both directions. Tight joint. 
95176	10 SPARE BLADES FOR 95175, 95120, 95101 «U» shape, adjustable	
95105	GROOVER FOR SAFETY FLOORS	To make a "U" groove in very hard carborundum-based floor coverings (TARASAFE). Supplied with a fitted double sided blade + guide. 
95106	SPARE BLADE FOR SAFETY GROOVER 2 sides	
95200	«MASTER TURBO» GROOVER (Patented in Europe & USA)	Perfectly guided, no need to adjust, extremely simplified use. Suitable for small and large surfaces. Supplied with 2 grooving blades for 4 mm rods. 
95202	SPARE GROOVING BLADE for 95200 (Pack of 2)	
95078	TRIAC-ST ELECTRONIC WELDING GUN	Hot air outflow up to 230 l/min. Continuously adjustable temperature from 20°C to 700°C. Heat protection. Electronic element protection. Power: 1600 W. 230 V. Weight: 1.3 kg. Noise level: 65 dB. Supplied with a standard push fit nozzle. 

Part Number	Product	Description
95085	BASIC FLOOR WELDING KIT	 <p>PVC case including 13 elements:</p> <ul style="list-style-type: none"> • 1 LEISTER TRIAC-ST welding gun 95078 • 1 push fit nozzle holder nozzle • 1 grooving tool 95175 • 1 «Mozart» trimming knife 95130 • 5 spare «Mozart» blades 95129 • 1 anti-glaze rapid nozzle 95027 • 1 nozzle brush 95195 • 10 spare blades 95176 • 1 leather pouch 95155 • 1 heating grooving nozzle 95051 • 1 rapid nozzle 95024 • 1 sharpening stone 95190 • 1 wire brush 95193
95088	PRO FLOOR WELDING KIT	 <p>Complete PVC case including 16 elements:</p> <ul style="list-style-type: none"> • 1 LEISTER TRIAC-ST welding gun 95078 • 1 push fit nozzle holder nozzle • 1 grooving tool 95175 • 10 spare blades 95176 • 1 spare element 97077 • 1 anti-glaze rapid nozzle 95027 • 1 wire brush 95193 • 1 nozzle brush 95195 • 1 coving anti-glaze rapid nozzle 95028 • 1 angle finishing nozzle 95039 • 1 flat angle template 95446 • 1 90° folded angle template 95445 • 1 trimming gouge 95160 • 2 flat blades 95163 • 1 «Mozart» trimming knife 95130 • 5 spare «Mozart» blades 95129
97077	SPARE «TRIAC ST» ELEMENT	
197980	PUSH FIT NOZZLE HOLDER NOZZLE	Fits on «LEISTER TRIAC» hot air welding guns and equivalent. 
95027	ANTI-GLAZE RAPID NOZZLE Ø 4-5 mm	Narrow (0.9 mm) hot airflow directed right into the groove. For welding surface-treated PVC: it prevents groove edges from damage. Faster rod melting allows also faster welding. 

Part Number	Product	Description
95028	COVING ANTI-GLAZE RAPID NOZZLE Ø 4-5 mm	Similar to the anti-glaze rapid nozzle but with a curved slot, designed for coving welding. 
95040	TURBO RAPID NOZZLE	Suitable for welding PVC and linoleum, especially for coving welding (curved nozzle)
95044	SWAN NECK NOZZLE	For finishing angles. For melting the rod in angles by applying pressure. 
95030	TRIANGULAR RAPID NOZZLE Ø 4-5 mm	For welding PVC wall coverings. 
95039	ANGLE FINISHING NOZZLE	For melting the rod in angles by applying pressure. 
95195	NOZZLE BRUSH	To remove melted rod residues from nozzle ducts. Length: 16 cm. 
95446	TEMPLATES FOR SKIRTING ANGLES	For grooving in coved skirting angles. 
95445	TEMPLATES FOR SKIRTING ANGLES	For grooving in coved skirting angles. 
95197	BALL-PRESSURE SHAFT	For pressing the covering when welding in internal angles. Ø 13 mm brass ball. 
93139	ROLLER-SMOOTHER	For pressing coverings in internal angles, flat side for cove smoothing of skirtings. 
95137	PRESSURE ROLLER	For welding canvas by superposing 2 sheets, up to 40 mm. 
95130	MOZART «2 in 1» TRIMMING KNIFE	Revolutionary tool that combines - a trimming blade - a trimming guide that easily retracts for final trim. Supplied in a PVC box with 2 trimming guides • 1 for PVC, th. 0.5 mm • 1 for linoleum, th. 0.7 mm Dim. 170 x 30 x 30 mm. Weight: 165 g 
95129	5 SPARE BLADES FOR 95130	
95140	QUARTER MOON KNIFE	
95150	TRIMMING GUIDE	To be used with a quarter moon knife, for pre-trimming the welding rod while preserving the coating. 

Part Number	Product	Description
93355	COMBI SCRIBER	Turning lower guide rail allows use as standard or recess scriber. Length: 17 cm. Supplied with 10 needles and 3 blades. 
93357	25 SPARE NEEDLES FOR COMBI SCRIBER	
95103	TRIMMING TOOL RDP	For trimming welding cord in roundings, or outside corners as well as for cove-base jobs. The special blade ensures that the floor covering won't be damaged. 
95410	JOINT SCRIBER	For joint tracing. Length: 19 cm. 
95400	LONG SCRIBER	38 cm long, Wall or profiles contour transfer. 
93840	STAIR TOOL	Used to fix carpet behind the gripper after trimming. Polished chromium plated steel. 
95160	WELD TRIMMER	Multipurpose trimmer, depending on inserted blade. To be used on cold rod only. Supplied with a rounded blade 95161. 
95161	2 ROUNDED BLADES Ø 6mm	Ø 6 mm For trimming welding rods alongside skirtings or in cove-cap skirtings, stairs angles. Pack of 2. 
95163	2 FLAT BLADES	For trimming rods alongside joints or in cove-cap skirtings. Pack of 2. 
95164	2 POINTED BLADES	For grooving. Pack of 2. 
95650	COLD WELDING TUBE WITH APPLICATOR NOZZLE - A 44 gr.	For sealing 20 m of joints. 
95670	COLD WELDING TUBE WITH APPLICATOR NOZZLE - A 132 gr.	For sealing 65 m of joints. 
95607	COLD WELDING PASTE "T" NOZZLE 44 G	Cold welding formula for long lasting and waterproof seam sealing of PVC flooring with a polyester-fleece underlay. 44 g tube (around 50 ml). 