




“my
Reference,”

CREATION 55


Gerflor[®]
theflooringgroup

CREATION 55 GLUE DOWN




PERMANENT ADHESIVE
COLLAGE PERMANENT
VOLLFLÄCHIGE
VERKLEBUNG

CREATION 55 CLIC




INTERLOCKING
CLIPSABLE
KLICKSYSTEM



5X MORE RESISTANT **30%** FASTER

CREATION 55 LOOSELAY



LOOSELAY - REMOVABLE
PLOMBANT-
REPOSITIONNABLE
LOSE VERLEGUNG-
WIEDERAUFNEHMBAR

DESIGN SHADE VARIATION /
NIVEAU DE CONTRASTE DU DÉCOR /
KONTRASTSTÄRKE DES DESIGNS



LIGHT /
LÉGER /
GERING



MEDIUM /
MOYEN /
MITTEL



HIGH /
FORT /
HOCH

AMADOR	P.12
AMARANTE	P.46
ARENA	P.20
ASPEN	P.58
BALLERINA	P.42
BLOOM	P.80
BOSTONIAN OAK	P.06
BROWNIE	P.54
BUFFALO	P.56
CAMBRIDGE	P.40
CARMEL	P.74
CARRARE	P.82
CEDAR	P.34
CHEVRON	P.16
DURANGO TAUPE	P.62
ERAMOSA BEIGE	P.84
HONEY OAK	P.32
LONGBOARD	P.30
MALUA BAY	P.22
MANSFIELD	P.18
MICHIGAN	P.52
NORTHWOOD	P.36
NORVEGIAN STONE	P.70
OXFORD	P.14
PAINT WOOD TAUPE	P.26
PARKER STATION	P.68
PONTO CRUZ	P.78
QUARTET	P.44
RANCH	P.10
REGGIA	P.72
RIVERSIDE	P.76
ROYAL OAK	P.38
RUST	P.60
RUSTIC OAK	P.48
SILVER CITY	P.66
STACCATO	P.64
STRIPE OAK	P.50
SWISS OAK	P.04
TWIST	P.28
VINTAGE OAK	P.08
WHITE LIME	P.24

SWISS OAK



184 x 1219
230 x 1500



214 x 1239
242 x 1461



229 x 1220

SWISS OAK GOLDEN
0796



184 x 1219
230 x 1500
152 x 762



214 x 1239
242 x 1461

SWISS OAK BEIGE
0848



184 x 1219
230 x 1500



214 x 1239
242 x 1461

SWISS OAK CASHMERE
0795



184 x 1219
230 x 1500



214 x 1239
242 x 1461



229 x 1220

SWISS OAK PEARL
0846



184 x 1219
230 x 1500



214 x 1239
242 x 1461

SWISS OAK SMOKED
0847

Format / mm



BOSTONIAN OAK



184 x 1219
230 x 1500



214 x 1239
242 x 1461

BOSTONIAN OAK HONEY
0851



184 x 1219



214 x 1239

BOSTONIAN OAK
0871



184 x 1219
230 x 1500



214 x 1239
242 x 1461

BOSTONIAN OAK BEIGE
0853



184 x 1219
230 x 1500



214 x 1239
242 x 1461

BOSTONIAN OAK GREY
0855



VINTAGE OAK



184 x 1219

VINTAGE OAK
0426



RANCH



184 x 1219
230 x 1500



214 x 1239
242 x 1461



229 x 1220

RANCH
0456



AMADOR



184 x 1219



214 x 1239



229 x 1220

AMADOR
0447



OXFORD



184 x 1219



214 x 1239

OXFORD
0061



CHEVRON



CHEVRON MOKA
0810



184 x 1219



CHEVRON BUCKWHEAT
0811



184 x 1219



CHEVRON HURRICANE
0809



184 x 1219



MANSFIELD



MANSFIELD LIGHT



184 x 1219

MANSFIELD LIGHT
0068



184 x 1219

MANSFIELD NATURAL
0069

Format / mm



ARENA



184 x 1219



214 x 1239



229 x 1220

ARENA
0060



MALUA BAY



184 x 1219



214 x 1239



229 x 1220

MALUA BAY
0448



WHITE LIME



184 x 1219



214 x 1239

WHITE LIME
0584



QVADRATA

Handwritten calligraphy on a white sheet of paper. The word 'QVADRATA' is written in a bold, blocky font. Below it, there are several lines of cursive script, including the letters 'M', 'A', 'P', and 'P'.

PAINT WOOD TAUPE



184 x 1219



214 x 1239

PAINT WOOD TAUPE
0856



TWIST



184 x 1219



214 x 1239



229 x 1220

TWIST
0504



LONGBOARD



184 x 1219



214 x 1239



229 x 1220

LONGBOARD
0455



HONEY OAK



184 x 1219



214 x 1239



229 x 1220

HONEY OAK
0441



CEDAR



CEDAR PURE



230 x 1500



242 x 1461

CEDAR PURE
0849



230 x 1500



242 x 1461

CEDAR BROWN
0850

Format / mm



CAPPUCINÔ

NORTHWOOD



NORTHWOOD MOKACCINO



184 x 1219

NORTHWOOD MACCHIATO
0816



184 x 1219

NORTHWOOD MOKACCINO
0817

Format / mm



ROYAL OAK



ROYAL OAK COFFEE



ROYAL OAK BLOND
0812



184 x 1219



ROYAL OAK COFFEE
0740



184 x 1219



CAMBRIDGE



184 x 1219



214 x 1239

CAMBRIDGE
0465



BALLERINA



184 x 1219
152 x 762



214 x 1239



229 x 1220

BALLERINA
0347



QUARTET



184 x 1219
152 x 762



214 x 1239

QUARTET
0503



184 x 1219



214 x 1239

QUARTET FAUVE
0859



184 x 1219

QUARTET HONEY
0870

Format / mm



AMARANTE



184 x 1219



214 x 1239

AMARANTE
0579



RUSTIC OAK



184 x 1219



214 x 1239

RUSTIC OAK
0445



STRIPE OAK



STRIPE OAK HONEY



STRIPE OAK HONEY
0857



184 x 1219



214 x 1239



STRIPE OAK ICE
0858



184 x 1219



214 x 1239

Format / mm



MICHIGAN



184 x 1219



214 x 1239

MICHIGAN
0461



BROWNIE



184 x 1219



214 x 1239

BROWNIE
0459



BUFFALO



184 x 1219



214 x 1239

BUFFALO
0457



ASPEN



184 x 1219



214 x 1239

ASPEN
0458



RUST



457 x 914



391 x 729

RUST CORTEN
0095



457 x 914

RUST METAL
0094

Format / mm



DURANGO TAUPE



610 x 610



391 x 729

DURANGO TAUPE
0751



STACCATO



610 x 610



391 x 729

STACCATO
0476



SILVER CITY



610 x 610



391 x 729

SILVER CITY
0373



PARKER STATION



610 x 610



391 x 729



500 x 500

PARKER STATION
0374



NORVEGIAN STONE



457 x 914



391 x 729



500 x 500


NORVEGIAN STONE
0860



REGGIA



REGGIA TAUPE



457 x 914

REGGIA TAUPE
0862



457 x 914



391 x 729

REGGIA IVORY
0861

Format / mm



CARMEL



457 x 914



391 x 729



500 x 500

CARMEL
0618



RIVERSIDE



610 x 610




391 x 729

RIVERSIDE
0436



PONTO CRUZ



PONTO CRUZ NAVY
0876



610 x 610
152 x 762



500 x 500



PONTO CRUZ CITY
0878



610 x 610
152 x 762



500 x 500



BLOOM




610 x 610



391 x 729

BLOOM TAUPE
0866



610 x 610



391 x 729

BLOOM UNI TAUPE
0868



610 x 610



391 x 729

BLOOM GREY
0867



610 x 610



391 x 729

BLOOM UNI GREY
0869



CARRARE



457 x 914



391 x 729

CARRARE
0744



ERAMOSA BEIGE



457 x 914



391 x 729

ERAMOSA BEIGE
0863



MORE THAN A FLOOR... FLOOR, WALL & FINISHES
PLUS QU'UN SOL... SOLUTIONS COMPLÈTES, SOLS, MURS & FINITIONS
MEHR ALS NUR BELAG... BODEN, WAND & ZUBEHÖR





**MATTING /
TAPIS D'ENTRÉE /
SAUBERLAUF**


**TOOLS / OUTILS /
WERKZEUGE**



**ADD-ON UNDERLAYERS /
SOUS COUCHES
COMPLEMENTAIRES /
UNTERLAGEN**










































































FOR MORE DETAILS /
PLUS DE DÉTAILS /
WEITERE
INFORMATIONEN
GERFLOR.COM




FINISHING SOLUTIONS
Special LVT

Gerflor
theflooringgroup

SCANS	COLOR DESIGN	EMBOSS / GRAIN / PRÄGUNG	GLUE DOWN INSTALLATION / À COLLER	CLIC INSTALLATION / À CLIPSER	LOOSELAY INSTALLATION / PLOMBANT	SKIRTINGS / PLINTHES / SOCKELLEISTEN
						Matching design 
	AMADOR - 0447	SAW EFFECT	184 x 1219 mm	214 x 1239 mm	229 x 1220 mm	S004
	AMARANTE - 0579	BRUSHED	184 x 1219 mm	214 x 1239 mm		S005
	ARENA - 0060	SAW EFFECT	184 x 1219 mm	214 x 1239 mm	229 x 1220 mm	S026
	ASPEN - 0458	BRUSHED	184 x 1219 mm	214 x 1239 mm		S006
	BALLERINA - 0347	NATURAL	184 x 1219 mm 152 x 762 mm	214 x 1239 mm	229 x 1220 mm	S008
	BLOOM GREY - 0867	HAMMERED	610 x 610 mm	391 x 729 mm		S069
	BLOOM TAUPE - 0866	HAMMERED	610 x 610 mm	391 x 729 mm		S070
	BLOOM UNI GREY - 0869	HAMMERED	610 x 610 mm	391 x 729 mm		S071
	BLOOM UNI TAUPE - 0868	HAMMERED	610 x 610 mm	391 x 729 mm		S072
	BOSTONIAN OAK - 0871	NATURAL	184 x 1219 mm	214 x 1239 mm		S016
	BOSTONIAN OAK BEIGE - 0853	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm		S017
	BOSTONIAN OAK GREY - 0855	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm		S018
	BOSTONIAN OAK HONEY - 0851	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm		S019
	BROWNIE - 0459	NATURAL	184 x 1219 mm	214 x 1239 mm		S073
	BUFFALO - 0457	BRUSHED	184 x 1219 mm	214 x 1239 mm		S075
	CAMBRIDGE - 0465	NATURAL	184 x 1219 mm	214 x 1239 mm		S065
	CARMEL - 0618	HAMMERED	457 x 914 mm	391 x 729 mm	500 x 500 mm	S020
	CARRARE - 0744	STONE	457 x 914 mm	391 x 729 mm		S021
	CEDAR BROWN - 0850	NATURAL	230 x 1500 mm	242 x 1461 mm		S024
	CEDAR PURE - 0849	NATURAL	230 x 1500 mm	242 x 1461 mm		S025
	CHEVRON BUCKWHEAT - 0811	CHEVRON	184 x 1219 mm			S029
	CHEVRON HURRICANE - 0809	CHEVRON	184 x 1219 mm			S030
	CHEVRON MOKA - 0810	CHEVRON	184 x 1219 mm			S031
	DURANGO TAUPE - 0751	HAMMERED	610 x 610 mm	391 x 729 mm		S027
	ERAMOSA BEIGE - 0863	NATURAL	457 x 914 mm	391 x 729 mm		S028
	HONEY OAK - 0441	NATURAL	184 x 1219 mm	214 x 1239 mm	229 x 1220 mm	S033
	LONG BOARD - 0455	BRUSHED	184 x 1219 mm	214 x 1239 mm	229 x 1220 mm	S034
	MALUA BAY - 0448	BRUSHED	184 x 1219 mm	214 x 1239 mm	229 x 1220 mm	S035
	MANSFIELD LIGHT - 0068	BRUSHED	184 x 1219 mm			S036
	MANSFIELD NATURAL - 0069	BRUSHED	184 x 1219 mm			S037
	MICHIGAN - 0461	BRUSHED	184 x 1219 mm	214 x 1239 mm		S038
	NORTHWOOD MACCHIATO - 0816	BRUSHED	184 x 1219 mm			S040

SCANS	COLOR DESIGN	EMBOSS / GRAIN / PRÄGUNG	GLUE DOWN INSTALLATION / À COLLER	CLIC INSTALLATION / À CLIPSER	LOOSELAY INSTALLATION / PLOMBANT	SKIRTINGS / PLINTHES / SOCKELLEISTEN
						Matching design 
	NORTHWOOD MOKACCINO - 0817	BRUSHED	184 x 1219 mm			S041
	NORVEGIAN STONE - 0860	HAMMERED	457 x 914 mm	391 x 729 mm	500 x 500 mm	S042
	OXFORD - 0061	BRUSHED	184 x 1219 mm	214 x 1239 mm		S043
	PAINT WOOD TAUPE - 0856	BRUSHED	184 x 1219 mm	214 x 1239 mm		S046
	PARKER STATION - 0374	HAMMERED	610 x 610 mm	391 x 729 mm	500 x 500 mm	S047
	PONTO CRUZ CITY - 0878	TEXTILE	610 x 610 mm 152 x 762 mm		500 x 500 mm	S052
	PONTO CRUZ NAVY - 0876	TEXTILE	610 x 610 mm 152 x 762 mm		500 x 500 mm	S051
	QUARTET - 0503	NATURAL	184 x 1219 mm 152 x 762 mm	214 x 1239 mm		S056
	QUARTET FAUVE - 0859	NATURAL	184 x 1219 mm	214 x 1239 mm		S057
	QUARTET HONEY - 0870	NATURAL	184 x 1219 mm			S058
	RANCH - 0456	BRUSHED	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	229 x 1220 mm	S053
	REGGIA IVORY - 0861	STONE	457 x 914 mm	391 x 729 mm		S054
	REGGIA TAUPE - 0862	STONE	457 x 914 mm			S055
	RIVERSIDE - 0436	HAMMERED	610 x 610 mm	391 x 729 mm		S032
	ROYAL OAK BLOND - 0812	ROYAL OAK	184 x 1219 mm			S060
	ROYAL OAK COFFEE - 0740	ROYAL OAK	184 x 1219 mm			S061
	RUST CORTEN - 0095	PERFORATED	457 x 914 mm	391 x 729 mm		S044
	RUST METAL - 0094	PERFORATED	457 x 914 mm			S045
	RUSTIC OAK - 0445	BRUSHED	184 x 1219 mm	214 x 1239 mm		S062
	SILVER CITY - 0373	HAMMERED	610 x 610 mm	391 x 729 mm		S048
	STACCATO - 0476	PERFORATED	610 x 610 mm	391 x 729 mm		S064
	STRIPE OAK HONEY - 0857	NATURAL	184 x 1219 mm	214 x 1239 mm		S010
	STRIPE OAK ICE - 0858	NATURAL	184 x 1219 mm	214 x 1239 mm		S009
	SWISS OAK BEIGE - 0848	NATURAL	84 x 1219 mm 230 x 1500 mm 152 x 762 mm	214 x 1239 mm 242 x 1461 mm		S011
	SWISS OAK CASHMERE - 0795	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm		S012
	SWISS OAK GOLDEN - 0796	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	229 x 1220 mm	S015
	SWISS OAK PEARL - 0846	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm	229 x 1220 mm	S014
	SWISS OAK SMOKED - 0847	NATURAL	184 x 1219 mm 230 x 1500 mm	214 x 1239 mm 242 x 1461 mm		S013
	TWIST - 0504	NATURAL	184 x 1219 mm	214 x 1239 mm	229 x 1220 mm	S039
	VINTAGE OAK - 0426	BRUSHED	184 x 1219 mm			S063
	WHITE LIME - 0584	SAW EFFECT	184 x 1219 mm	214 x 1239 mm		S074

EXCLUSIVE EMBOSSES **FOR ENHANCED DESIGNS**
SURFACES GRAINÉES **POUR UNE MATIÈRE TRÈS RÉALISTE**
OBERFLÄCHENPRÄGUNGEN **FÜR AUTHENTISCHE DESIGNS**



CREATION 55


TECHNICAL DATA

CREATION 55		CREATION 55 LOOSELAY	CREATION 55 CLIC
DESIGN	TREND		

DESCRIPTION / BESCHREIBUNG / BESCHRIJVING / DESCRIPTION / DESCRIPCIÓN / DESCRICÃO / DESCRIZIONE

Total Thickness / Gesamtdicke / Totale dikte / Épaisseur totale / Espesor total / Espessura total / Spessore totale	EN ISO 24346	mm	2.50	2.50	4.50	5.00
	ASTM F386-02	inch	0.10	0.10	0.18	0.20
Thickness of the wearlayer / Dicke der Nuttschicht / Dikte van de slijtlaag / Épaisseur couche d'usure / Espesor capa de uso / Espessura camada de desgaste / Spessore strato di usura	EN ISO 24340	mm	0.55	0.55	0.55	0.55
	ASTM F410-02	inch	0.02	0.02	0.02	0.02
Weight / Flächengewicht / Gewicht / Poids / Peso / Peso	EN ISO 23997	g/m ²	4410	3850	7500	8230
Size / Format / Afmetingen / Format / Dimensiones / Dimensões / Dimensione	ISO 24342	mm	184x1219 / 230x1500 152x762 457x914 / 610x610	184x1219 / 230x1500 152x762 457x914 / 610x610	229x1220 500x500	214x1239 / 242x1461 391x729
	ASTM F 536	inch	7.25"x48" / 9"x59" 6"x30" / 18"x36" / 24"x24"	7.25"x48" / 9"x59" 6"x30" / 18"x36" / 24"x24"	9"x48" 19.7"x19.7"	8.4"x48.7" / 9.5"x57.5" 15.3"x28.7"

CLASSIFICATION / KLASSIFIKATION / CLASSIFICATIE / CLASSIFICATION / CLASIFICACIONES / CLASSIFICAÇÕES / CLASSIFICAZIONI

Norm/Product Specification / Produktnorm / Technische eigenschappen / Norme / Spécification produit / Normas / Normas / Norma prodotto	-	-	EN ISO 10582	EN ISO 10582	EN ISO 10582	EN ISO 10582
	ASTM F 1700-04	-	Class III Type B	Class III Type B	-	Class III Type B
European Classification / Europäische Klassifizierung / Europese classificatie / Classement européen / Clasificación europea / Classificação Europeia / Europea	EN ISO 10874 (685)	Class	33 - 42	33 - 42	33 - 42	33 - 42
Classement UPEC	-	-	U3P3E2C2	U3P3E2C2	-	Pour pose dans les locaux classés U3P3E1/2C2
Certification  UPEC	QB 30	n°	783/356-004.1	355-002.1	-	-
Fire Rating / Brandverhalten / Brand classificatie / Classement Feu / Fuego / Fogo / Reazione al fuoco	EN 13 501-1	Class	Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1
Static Electrical Propensity / Begehauladung / Elektrische eigenschappen / Potentiel de charge / Comportamiento electrostático / Comportamento electrostático / Resistenza elettrica	EN 1815	kV	< 2	< 2	< 2	< 2
Slip Resistance Wet / Rutschhemmung / Anti-slip / Glissance humide / Deslizamiento húmedo / Escorregamento húmedo / Scivolosità umida ⁽¹⁾	DIN 51130 / BGR 181	Class	R10	R10	R10	R10





PERFORMANCES / TECHNISCHE EIGENSCHAFTEN / TESTRESULTAAT / PERFORMANCE / CUALIDADES TÉCNICAS / PERFORMANCES / CARATTERISTICHE TECNICHE

Wear Resistance / Verschleißverhalten / Slijtvastheid / Résistance à l'usure / Abrasión / Abrasão / Resistenza all'abrasione	EN 660.2	mm ³	≤ 2.0	≤ 2.0	≤ 2.0	≤ 2.0
Wear Group / Verschleißgruppe / Groep slijtvastheid / Groupe d'abrasion / Grupo de abrasión / Grupo de abrasão / Gruppo di abrasione	QB 30	group	T	T	T	T
Type Binder content / Bindemittelgehalt / Teneur en agent liant / Contenido en ligante / Conteúdo em ligante	ISO 10582	group	I	I	I	I
Dimensional stability (norm) / Maßstabilität (norm) / Maatvastheid (norm) / Stabilité dimensionnelle (norme) / Estabilidad Dimensional (Exigencia) / Estabilidade dimensional (normalização) / Stabilità dimensionale (requisito normativo)	EN ISO 23999	%	≤ 0.25	≤ 0.25	≤ 0.15	≤ 0.15
Dimensional stability (average measured value) / Maßstabilität (Durchschnittswert) / Stabilité dimensionnelle (valeur moyenne mesurée) / Maatvastheid (gemeten gemiddelde waarde) / Estabilidad Dimensional (Valor medido) / Estabilidade Dimensional (Valor medio) / Stabilità dimensionale (rilevata)	-	%	≤ 0.10	≤ 0.10	≤ 0.05	≤ 0.05
Residual Indentation / Resteindruck / Indrukbelasting / Poinçonnement statique rémanent / Punzonamiento / Punçoamento / Impronta	EN ISO 24343-1	mm	≤ 0.10	≤ 0.10	≤ 0.10	≤ 0.10
Impact sound insulation / Trittschallverbesserungsmaß / Geluidsisolatie / Isolation acoustique bruits de chocs / Acústica / Isolamento acústico	EN ISO 717-2	dB	4	4	7	4
Room Impact / Raumschall / Loopgeluid / Sonorité à la marche / Rumore al calpestio / Sonoridad en la pisada / Sonoridade ao andar	NF S 31074	dB	77	77	73	78
Castor chair test / Stuhlrollenbeanspruchung / Rolweerstand bureaustoelen / Essai de la chaise à roulettes / Determinación del efecto de una silla con ruedas / Resistência a cadeiras de rodas / Resistenza al passaggio di sed (Type W)	ISO 4918	-	OK	OK	OK	OK
Thermal Conductivity / Wärmeleitfähigkeit / Thermische weerstand / Conductivité thermique / Conductividad térmica / Contutividade térmica / Resistenza termica / Värmeledningsmotstånd / Varmemotstånd	EN ISO 10456	W/(m.K)	0.25	0.25	0.25	0.25
Colour Fastness / Lichtechtheit / Lichtechtheid / Solidité lumière / Resistencia a la luz / Estabilidade das cores / Solidità alla luce	EN 20 105 - B02	degree	≥ 6	≥ 6	≥ 6	≥ 6
Surface Treatment / Oberflächenvergütung / Oppervlaktebehandling / Traitement de surface / Tratamiento de superficie / Tratamento de superficie / Trattamento di superficie	-	-	PUR+ Matt	PUR+ Matt	PUR+ Matt	PUR+ Matt
Chemical Products Resistance / Verhalten gegenüber Chemikalien / Chemische bestendigheid / Résistance aux produits chimiques / Resistencia a los productos químicos / Resistência aos produtos químicos / Resistenza ai prodotti chimici ⁽²⁾	EN ISO 26987	-	OK	OK	OK	OK

ENVIRONMENT/INDOOR AIR QUALITY / UMWELT/RAUMLUFTQUALITÄT / ENVIRONNEMENT/QUALITE DE L'AIR INTERIEUR / MEDIO AMBIENTE/CALIDAD INTERIOR DEL AIRE INTERIOR / MEIO AMBIENTE/ QUALIDADE DO AR INTERIOR

TVOC after 28 days / TVOC (28 Tage) / TVOC (28 dagen) / TVOC après 28 jours / TVOC (28 dias) / TVOC (28 dias) / TVOC (28 giorni) / TVOC (28 dagar) / TVOC (28 dager)	ISO 16000-6	µg/m ³	< 10	< 10	< 10	< 10
Certification / Zeugnis / Certification / Certificado / Certificação	-	-	-	Floorscore®	-	Floorscore®

CE MARKING / CE KENNZEICHNUNG / EG_CONFORMITEITSMERK / MARQUAGE CE / MARCA DE CONFORMIDAD CE / MARCA DE CONFORMIDADE CE / MARCATURA CE DI CONFORMITA

	EN 14041	-				
---	----------	---	---	---	---	---

(1) Ramp test with oil / Schiefe Ebene / Plan incliné avec huile

(2) Beständig gegenüber nicht färbenden alkoholhaltigen Handdesinfektionsmitteln, Haushaltschemikalien und verdünnten Säuren und Laugen bei kurzzeitiger Einwirkung.

CREATION, NO FORMALDEHYDE, BETTER INDOOR AIR QUALITY

 COMPOSITION 100% REACH Phthalate Free (except recycled content)	 INDOOR AIR QUALITY TVOC below detection level No Formaldehyde emission	 RECYCLED CONTENT Glue Down: 35% Looselay: 35% Clic: 55%	 RECYCLABILITY 100%	 INSTALLATION Clic: Adhesive free	 LCA Clic: Lowest Carbon Footprint CO ₂ emissions/sqm 10 times lower than standard process	 WELLNESS Walking noise reduction: -10dB vs laminate
--	--	--	---	---	---	---

INTERIOR DESIGNER



interiordesigner.gerflor.com




30 years experience
Since 1985

Manufacturer
3 LVT Factories

World Class Logistics
12 Logistics Hubs

Gerflor Design Centre
Exclusive Designs



“Serenity,,
Julia - **End User**



“Time saving,,
Mika - **Installer**



“Design,,
Pierre - **Architect**



“Confidence,,
Claire - **Store Manager**



“Reliability,,
Lucas - **Distributor**

Gerflor is our **Reference**