



reddot award 2016
winner

CREATION 70

gerflor.com



Gerflor[®]
theflooringgroup

CREATION 7

CREATION 70



DESIGN SKIRTINGS PLINTHES DÉCOR



	Code		
CLASSIC OAK	0260	•	0260
DEEP FOREST	0360	•	0360
DENIM WOOD	0356	•	0356
DOCK GREY	0085	•	-
DOCK TAUPE	0087	•	-
HALIFAX	0531	•	-
MIDWEST	0538	•	0504
MOON ISLAND	0358	•	0358
PORTOBELLO	0357	•	0357
SOMERSET	0529	•	0476
WALNUT	0265	•	0265
ALBION	0577	•	-
EAST VILLAGE	0522	•	-
ELM	0262	•	0262
FARGO	0568	•	-
FLAGSTAF	0528	•	-
FLAMINGO	0541	•	0528
MUIR OAK	0258	•	0258
OCEAN SIDE	0576	•	0576
SERENA	0545	•	-
SHERIDAN	0565	•	-
SILVERSANDS	0324	•	-
SORB	0272	•	0272
SYCAMORE	0335	•	0335
TRAVERTIN STONE	0414	•	0414
VICTORIA OAK	0337	•	0337
WELSH SLATE	0394	•	-
WILD OAK	0359	•	0359
ABERDEEN	0537	•	-
ATOK	0525	•	-
BAUTISTA	0558	•	-
BEDGEBURY OAK	0338	•	-
BEVERLY	0539	•	-
BLACK CREEK	0540	•	-
BUXTON OAK	0340	•	-
CALABRIA	0560	•	-
CARASSI	0561	•	-
CARRINGTON	0572	•	-
CERVINO OAK BEIGE	0797	•	0797
CERVINO OAK NATURE	0798	•	0798
CLIFTON	0556	•	-
COBARGO	0544	•	-
COLOMBUS	0554	•	-
DARK SLATE	0114	•	-
DOUGLAS	0535	•	-
DUCHESSE	0547	•	-
FAIRVIEW	0566	•	-
FIDELIO	0562	•	-
GILMORE	0557	•	-
GREENWICH	0402	•	-
HAMILTON	0550	•	-
LAWSON	0573	•	-
LEWIS TOWN	0512	•	-
LIMED OAK	0329	•	-
MARUTEA	0570	•	-
MASSERIA	0564	•	-
OXYD PURE	0088	•	0088
OXYD IRON	0089	•	0089
RED SPIRIT	0563	•	-
REGIMENTAL NAVY BLUE	0805	•	0801
REGIMENTAL PICADILLY	0807	•	0803
REGIMENTAL SHERWOOD	0808	•	0804
SOLID GLAM NAVY BLUE	0801	•	0801
SOLID GLAM PICADILLY	0803	•	0803
SOLID GLAM SHERWOOD	0804	•	0804
SPENCER	0575	•	-
TANAMI	0552	•	-
TOASTED WOOD CAFE	0799	•	0799
TOASTED WOOD ROADSTER	0800	•	0800
WATERLAND	0569	•	-
BARMA MYSTERY	0023	-	-
BARMA SWEET	0021	-	-
GENTLEMEN GREY	0088	-	-
GENTLEMEN TAUPE	0089	-	-

• : Available / Disponible / Verfügbar

PERMANENT INSTALLATION ON PREPARED SUBFLOOR

IDEAL FOR NEW PROJECTS

POSE PERMANENTE SUR SUPPORT PRÉPARÉ

IDÉAL NOUVEAUX PROJETS

DAUERHAFTE VERLEGUNG AUF VORBEREITETEM UNTERGRUND

IDEAL FÜR NEUE PROJEKTE



10.1 x 91.4 cm



15.2 x 91.4 cm



18.4 x 137.1 cm



22.8 x 91.4 cm



45.7 x 91.4 cm




61 x 61 cm

0



JND



CREATION 30

0,30*



CREATION 55

0,55*



CREATION 70

0,70*



▲
TRAFFIC &
RESISTANCE

*Wear layer (mm) / Couche d'usure (mm) / Nutzschrift (mm)

DESIGN SHADE VARIATION / NIVEAU DE CONTRASTE DU DÉCOR / KONTRASTSTÄRKE DES DESIGNS



Light
Léger
Gering



Medium
Moyen
Mittel



High
Fort
Hoch

PACKAGING / CONDITIONNEMENT / VERPACKUNGSEINHEITEN

Format (cm)	m ² / box m ² / boîte m ² / paket	m ² / palett m ² / palette m ² / palette
-------------	--	---

CREATION 70

10.1 x 91.4 (1)	3.34	240.48
15.2 x 91.4 (1)	3.34	257.18
15.2 x 91.4	3.34	220.44
18.4 x 121.9	3.37	252.75
18.4 x 121.9 (REGIMENTAL)	3.14	235.50
23 x 150	2.76	198.72
Mix: 15.2/7.6/22.8 x 91.4	3.34	213.76
18.4 x 137.1	3.03	242.40
22.8 x 91.4	3.34	213.76
45.7 x 91.4	3.34	213.76
30.5 x 61 (2)	3.72	133.92
61 x 61	3.34	160.32
30.5 x 61	3.34	140.28
45.7 x 45.7	3.34	213.76

Decor Skirting / Plinthe Décor / Dekor-Sockelleiste

5 x 2.4 lm / box • 5 x 2.4 ml / boîte • 5 x 2,4 lfm / paket

(1) Silversands / Classic Oak / Muir Oak / Limed Oak / Elm / Bedgebury Oak / Sorb / Sycamore / Walnut / Buxton Oak / Denim Wood / Victoria Oak / Moon Island / Wild Oak / Portobello / Deep Forest / Douglas / Aberdeen / Serena / Duchess - (2) Slate

For / Pour / Für

**CREATION 70 CLIC SYSTEM
& CREATION 70 X'PRESS :**

**Please, order samples / Merci de commander
des échantillons / Bitte, Mustern bestellen**






CREATION 70

Exclusive Designs


VISUALIZE YOUR REFERENCE



interiordesigner.gerflor.com



BEVELLED
EDGES



WATER
RESISTANCE



100%
RECYCLABLE



INDOOR
AIR QUALITY

DECOR SKIRTING *PLINTHE DÉCOR* DEKOR-SOCKELLEISTE





REGIMENTAL NAVY BLUE



Installation Format/cm Code



18.4 x 121.9 0805



SOLID GLAM NAVY BLUE



Installation Format/cm Code



18.4 x 121.9 0801



REGIMENTAL PICADILLY



Installation Format/cm Code



18.4 x 121.9 0807



SOLID GLAM PICADILLY



Installation Format/cm Code



18.4 x 121.9 0803



REGIMENTAL SHERWOOD



Installation Format/cm Code



18.4 x 121.9 0808

CREATION 70

EXCLUSIVE

EDITION



SOLID GLAM SHERWOOD



Installation Format/cm Code




18.4 x 121.9 0804



CERVINO OAK BEIGE




Installation	Format/cm	Code
	23x150	0797



CERVINO OAK NATURE




Installation	Format/cm	Code
	23x150	0798



TOASTED WOOD ROADSTER




Installation	Format/cm	Code
	23x150	0800



TOASTED WOOD CAFE



Installation	Format/cm	Code
	23x150	0799


CREATION 70

EXCLUSIVE EDITION



OXYD PURE




Installation	Format/cm	Code
	45.7x91.4	0088



OXYD IRON



Installation	Format/cm	Code
	45.7x91.4	0089

CREATION 70



FLAMINGO



Installation	Format/cm	Code
	15.2x91.4	0541



WALNUT



Installation	Format/cm	Code
	10.1x91.4	0265
	15.2x91.4	0265



BEDGEBURY OAK



Installation	Format/cm	Code
	15.2x91.4	0338



ELM



Installation	Format/cm	Code
	15.2x91.4	0262



GILMORE



Installation	Format/cm	Code
	MIX*	0557



ABERDEEN



Installation	Format/cm	Code
	15.2x91.4	0537



BAUTISTA



Installation	Format/cm	Code
	MIX*	0558



BUXTON OAK




Installation	Format/cm	Code
	15.2x91.4	0340

*Mix: 15.2 x 91.4 cm / 7.6 x 91.4 cm / 22.8 x 91.4 cm

CREATION 70

MUIR OAK




Installation	Format/cm	Code
	10.1 x 91.4	0258
	15.2 x 91.4	0258



SERENA




Installation	Format/cm	Code
	15.2 x 91.4	0545



COBARGO




Installation	Format/cm	Code
	15.2 x 91.4	0544



ALBION





Installation	Format/cm	Code
	18.4 x 137.1	0577





SORB




Installation	Format/cm	Code
	10.1 x 91.4	0272
	15.2 x 91.4	0272



SYCAMORE




Installation	Format/cm	Code
	15.2 x 91.4	0335



VICTORIA OAK




Installation	Format/cm	Code
	15.2 x 91.4	0337



CLASSIC OAK



Installation	Format/cm	Code
	15.2 x 91.4	0260

CREATION 70

SILVERSANDS



Installation	Format/cm	Code
	15.2x91.4	0324



MOON ISLAND



Installation	Format/cm	Code
	15.2x91.4	0358



DOUGLAS



Installation	Format/cm	Code
	15.2x91.4	0535



FAIRVIEW



Installation	Format/cm	Code
	18.4x121.9	0566





LIMED OAK



Installation	Format/cm	Code
	15.2x91.4	0329



MIDWEST



Installation	Format/cm	Code
	15.2x91.4	0538



DUCHESS



Installation	Format/cm	Code
	15.2x91.4	0547

CREATION 70

DEEP FOREST



Installation	Format/cm	Code
	15.2x91.4	0360



WILD OAK



Installation	Format/cm	Code
	15.2x91.4	0359



CARRINGTON



Installation	Format/cm	Code
	18.4x121.9	0572



COLUMBUS




Installation	Format/cm	Code
	15.2x91.4	0554





BEVERLY




Installation	Format/cm	Code
	15.2x91.4	0539



TANAMI




Installation	Format/cm	Code
	15.2x91.4	0552



CLIFTON




Installation	Format/cm	Code
	MIX*	0556



LAWSON




Installation	Format/cm	Code
	18.4x121.9	0573

*Mix: 15.2 x 91.4 cm / 7.6 x 91.4 cm / 22.8 x 91.4 cm

CREATION 70

WATERLAND




Installation	Format/cm	Code
	18.4 x 121.9	0569



FARGO




Installation	Format/cm	Code
	18.4 x 121.9	0568



HAMILTON




Installation	Format/cm	Code
	15.2 x 91.4	0550



MARUTEA




Installation	Format/cm	Code
	18.4 x 121.9	0570





SHERIDAN




Installation	Format/cm	Code
	18.4x121.9	0565



DENIM WOOD




Installation	Format/cm	Code
	15.2x91.4	0356



PORTOBELLO




Installation	Format/cm	Code
	15.2x91.4	0357



SPENCER




Installation	Format/cm	Code
	18.4x137.1	0575

CREATION 70

CALABRIA




Installation	Format/cm	Code
	22.8x91.4	0560



CARASSI




Installation	Format/cm	Code
	22.8x91.4	0561



FIDELIO




Installation	Format/cm	Code
	22.8x91.4	0562




BLACK CREEK



Installation	Format/cm	Code
	15.2x91.4	0540





OCEAN SIDE



Installation	Format/cm	Code
	18.4x137,1	0576



MASSERIA



Installation	Format/cm	Code
	18.4x121.9	0564



RED SPIRIT




Installation	Format/cm	Code
	18.4x121.9	0563

CREATION 70



FLAGSTAF




Installation	Format/cm	Code
	61x61	0528



EAST VILLAGE




Installation	Format/cm	Code
	45.7x45.7	0522
	61x61	0522



ATOK




Installation	Format/cm	Code
	45.7x45.7	0525



LEWIS TOWN



Installation	Format/cm	Code
	30.5x61	0512



TRAVERTIN STONE



Installation	Format/cm	Code
	30.5x61	0414



GREENWICH



Installation	Format/cm	Code
	45.7x45.7	0402



WELSH SLATE



Installation	Format/cm	Code
	45.7x45.7	0394



DARK SLATE



Installation	Format/cm	Code
	30.5x61	0114

CREATION 70




BARMA SWEET



Installation Format/cm Code



On demand
Sur demande
Auf Anfrage*



GENTLEMAN TAUPE



Installation Format/cm Code



On demand
Sur demande
Auf Anfrage*



GENTLEMAN GREY



Installation Format/cm Code



On demand
Sur demande
Auf Anfrage*



BARMA MYSTERY



Installation Format/cm Code




On demand
Sur demande
Auf Anfrage*






DOCK TAUPE



Installation	Format/cm	Code
	45.7x91.4	0087

DOCK GREY




Installation	Format/cm	Code
	45.7x91.4	0085




SOMERSET



Installation	Format/cm	Code
	61x61	0529

HALIFAX




Installation	Format/cm	Code
	61x61	0531



OXYD IRON

DECOR SKIRTING
 PLINTE DÉCOR
 DEKOR-SOCKELLEISTE



5934

5935

Installed with adhesive or clip /
 Pose adhésivée ou clipsée /
 Montage mit Klebstoff oder Befestigungs-Clip

STRIPS
 BANDES DÉCORATIVES
 AKZENTSTREIFEN*




DARK CONCRETE STRIP 0333



BROWN CONCRETE STRIP 0334



WHITE CONCRETE STRIP 0335



SILVER STRIP 0330



BLACK STRIP 0331



LIGHT CONCRETE STRIP 0332

*Size STRIP 4 x 914 mm / Packaging 1 pack = 80 units



OXYD IRON 0089



OXYD PURE 0088





CERVINO OAK NATURE



CERVINO OAK BEIGE 0797




CERVINO OAK NATURE 0798



TOASTED WOOD CAFE



TOASTED WOOD ROADSTER 0800



TOASTED WOOD CAFE 0799





REGIMENTAL SHERWOOD



REGIMENTAL SHERWOOD 0808



SOLID GLAM SHERWOOD 0804



REGIMENTAL NAVY BLUE





REGIMENTAL NAVY BLUE 0805 




SOLID GLAM NAVY BLUE 0801 



REGIMENTAL PICADILLY 0807 



SOLID GLAM PICADILLY 0803 



REGIMENTAL NAVY BLUE /
SOLID GLAM NAVY BLUE



ABERDEEN 0537



ALBION 0577



ALBION



ATOK 0525



BARMA MYSTERY 0023





BARMA SWEET



BARMA SWEET 0021



BAUTISTA 0558



BARMA SWEET



BEDGEBURY OAK 0338



BEVERLY 0539





BLACK CREEK 0540



BUXTON OAK 0340



CALABRIA 0560



CARASSI 0561



BLACK CREEK





CARRINGTON 0572



CLASSIC OAK 0260



CLIFTON 0556



COBARGO 0544



CLIFTON



COLOMBUS 0554



DARK SLATE 0114



DEEP FOREST 0360



DENIM WOOD



DENIM WOOD 0356





DOCK GREY



DOCK GREY 0085



DOCK TAUPE 0087



DOUGLAS 0535



DUCHESS 0547





EAST VILLAGE 0522



ELM 0262



FAIRVIEW 0566



FARGO 0568



FARGO



GENTLEMAN GREY



FIDELIO 0562



FLAGSTAF 0528



FLAMINGO 0541



GENTLEMAN GREY 0088



GENTLEMAN TAUPE 0089



GILMORE 0557



GREENWICH 0402



HALIFAX 0531



LAWSON



HAMILTON



HAMILTON 0550



LAWSON 0573




LEWIS TOWN 0512



LIMED OAK 0329







MUIR OAK



MUIR OAK 0258




OCEAN SIDE 0576



PORTOBELLO 0357



PORTOBELLO



RED SPIRIT 0563







SYCAMORE



SORB 0272



SPENCER 0575



SOMERSET



SYCAMORE 0335



TANAMI 0552



TRAVERTIN STONE 0414



VICTORIA OAK 0337



WALNUT 0265



WATERLAND 0569



VICTORIA OAK





WELSH SLATE 0394



WILD OAK 0359



WILD OAK

WELSH SLATE

PACKAGING

CONDITIONNEMENT

VERPACKUNGSEINHEITEN

Format (cm)	m ² / box m ² / boîte m ² / paket	Planks tiles / box Lames Dalles / boîte Fliesen oder planken / paket	Box / pallet Boîtes / palette Pakete / palette	Weight / box (kg) Poids boîte (kg) Bruttogewicht eines paketes (kg)	Pallet size (cm) Dimensions palette (cm) Paletten- masse (cm)	Gross weight of a pallet (kg) Poids brut palette (kg) Brutto-gewicht der palette (kg)	m ² / palett m ² / palette m ² / palette
-------------	--	--	---	--	---	--	---

CREATION 70

Planks/Lames/Planken	10.1 x 91.4 ⁽¹⁾	3.34	36	72	13.36	128 x 95 x 14	-	240.48
Planks/Lames/Planken	15.2 x 91.4 ⁽¹⁾	3.34	24	77	12.4	124 x 105 x 14	-	257.18
Planks/Lames/Planken	15.2 x 91.4	3.34	24	66	14.86	95 x 100 x 86	1021	220.44
Planks/Lames/Planken	18.4 x 121.9	3.37	15	75	15.35	100 x 124 x 80	1145	252.75
Planks/Lames/Planken	18.4 x 121.9 (REGIMENTAL)	3.14	14	75	13.88	100 x 124 x 73.5	1071	235.50
Planks/Lames/Planken	23 x 150	2.76	8	72	13.71	98 x 153 x 60	1 002	198.72
Planks/Lames/Planken	Mix: 15.2 / 7.6 / 22.8 x 91.4	3.34	24	64	14.86	95 x 95 x 87	1000	213.76
Planks/Lames/Planken	18.4 x 137.1	3.03	12	80	13.7	100 x 140 x 76	1136	242.40
Planks/Lames/Planken	22.8 x 91.4	3.34	16	64	15	95 x 95 x 87	1000	213.76
Planks/Lames/Planken	45.7 x 91.4	3.34	8	64	14.97	95 x 95 x 98	983	213.76
Tiles/Dalles/Fliesen	30.5 x 61 ⁽²⁾	3.72	20	36	15.3	98 x 66 x 87	605	133.92
Tiles/Dalles/Fliesen	61 x 61	3.34	9	48	15.26	130 x 65 x 81	772	160.32
Tiles/Dalles/Fliesen	30.5 x 61	3.34	18	42	15.27	98 x 65 x 80	681	140.28
Tiles/Dalles/Fliesen	45.7 x 45.7	3.34	16	64	15.70	95 x 95 x 86	1045	213.76

Decor Skirting / Plinthe Décor / Dekor-Sockelleiste

5 x 2.4 lm / box • 5 x 2.4 ml / boîte • 5 x 2,4 lfm / paket

(1) Silversands / Classic Oak / Muir Oak / Limed Oak / Elm / Bedgebury Oak / Sorb / Sycamore / Walnut / Buxton Oak / Denim Wood / Victoria Oak / Moon Island / Wild Oak / Portobello / Deep Forest / Douglas / Aberdeen / Serena / Duchess

(2) Slate

The images of floorcoverings in this book have been reproduced as faithfully as printing technology permits.

Les photos et coloris des décors sont imprimés aussi fidèlement que les techniques d'impression le permettent mais ne sont pas contractuels.

HINWEIS: Mit Druck dieser Broschüre werden alle vorherigen Versionen ungültig. Alle Angaben und Hinweise in dieser Broschüre entsprechen unserem Kenntnisstand zum Zeitpunkt der Drucklegung. Im Einzelfall kann für deren Vollständigkeit, Richtigkeit und Anwendbarkeit keine Gewähr übernommen werden. Geringe Farbabweichungen bei den Produktabbildungen vom Original-Farbtönen sind möglich und drucktechnisch bedingt.



EXCLUSIVE EMBOSSES FOR ENHANCED DESIGNS
SURFACES GRAINÉES POUR UNE MATIÈRE TRÈS RÉALISTE

VERSCHIEDENE EXKLUSIVE OBERFLÄCHENPRÄGUNGEN FÜR NOCH REALISTISCHERE DESIGNS

HAMMERED



STONE




SLATE



SAND




PERFORATED




RIB WOOD



BRUSHED




NATURAL



LIGHT




RUSTIC WOOD



CREATION 70




AUTHENTIC



SAW EFFECT



RAW



TEXTILE



	Code	Slip Resistance wet / Glissance humide / Rutschhemmung (DIN 51130) Embosses / Grains / Prägungen
CLASSIC OAK	0260	R9 - NATURAL
DEEP FOREST	0360	R10 - BRUSHED
DENIM WOOD	0356	R9 - SAW EFFECT
DOCK GREY	0085	R10 - HAMMERED
DOCK TAUPE	0087	R10 - HAMMERED
HALIFAX	0531	R9 - STONE
MIDWEST	0538	R9 - NATURAL
MOON ISLAND	0358	R10 - BRUSHED
PORTOBELLO	0357	R10 - BRUSHED
SOMERSET	0529	R11 - PERFORATED
WALNUT	0265	R9 - NATURAL
ALBION	0577	R9 - NATURAL
EAST VILLAGE	0522	R9 - STONE
ELM	0262	R9 - NATURAL
FARGO	0568	R9 - SAW EFFECT
FLAGSTAF	0528	R9 - STONE
FLAMINGO	0541	R9 - NATURAL
MUIR OAK	0258	R9 - NATURAL
OCEAN SIDE	0576	R9 - SAW EFFECT
SERENA	0545	R9 - NATURAL
SHERIDAN	0565	R10 - AUTHENTIC
SILVERSANDS	0324	R9 - NATURAL
SORB	0272	R9 - NATURAL
SYCAMORE	0335	R9 - NATURAL
TRAVERTIN STONE	0414	R9 - SAND
VICTORIA OAK	0337	R9 - NATURAL
WELSH SLATE	0394	R10 - SLATE
WILD OAK	0359	R10 - BRUSHED
ABERDEEN	0537	R10 - BRUSHED
ATOK	0525	R9 - STONE
BAUTISTA	0558	R9 - SAW EFFECT
BEDGEBURY OAK	0338	R9 - NATURAL
BEVERLY	0539	R10 - BRUSHED
BLACK CREEK	0540	R10 - BRUSHED
BUXTON OAK	0340	R9 - NATURAL
CALABRIA	0560	R9 - SAW EFFECT
CARASSI	0561	R10 - RIB WOOD
CARRINGTON	0572	R10 - RUSTIC WOOD
CERVINO OAK BEIGE	0797	R9 - NATURAL
CERVINO OAK NATURE	0798	R9 - NATURAL
CLIFTON	0556	R9 - NATURAL
COBARGO	0544	R9 - NATURAL
COLOMBUS	0554	R9 - SAW EFFECT
DARK SLATE	0114	R10 - NATURAL
DOUGLAS	0535	R10 - BRUSHED
DUCHESS	0547	R9 - NATURAL
FAIRVIEW	0566	R9 - SAW EFFECT
FIDELIO	0562	R10 - RIB WOOD
GILMORE	0557	R9 - NATURAL
GREENWICH	0402	R10 - HAMMERED
HAMILTON	0550	R10 - BRUSHED
LAWSON	0573	R9 - SAW EFFECT
LEWIS TOWN	0512	R9 - STONE
LIMED OAK	0329	R9 - NATURAL
MARUTEA	0570	R9 - SAW EFFECT
MASSERIA	0564	R10 - RAW
OXYD PURE	0088	R11 - PERFORATED
OXYD IRON	0089	R11 - PERFORATED
RED SPIRIT	0563	R10 - RAW
REGIMENTAL NAVY BLUE	0805	R9 - NATURAL
REGIMENTAL PICADILLY	0807	R9 - NATURAL
REGIMENTAL SHERWOOD	0808	R9 - NATURAL
SOLID GLAM NAVY BLUE	0801	R9 - NATURAL
SOLID GLAM PICADILLY	0803	R9 - NATURAL
SOLID GLAM SHERWOOD	0804	R9 - NATURAL
SPENCER	0575	R9 - NATURAL
TANAMI	0552	R9 - LIGHT
TOASTED WOOD CAFE	0799	R9 - NATURAL
TOASTED WOOD ROADSTER	0800	R9 - NATURAL
WATERLAND	0569	R9 - SAW EFFECT
BARMA MYSTERY	0023	TBC
BARMA SWEET	0021	TBC
GENTLEMEN GREY	0088	TBC
GENTLEMEN TAUPE	0089	TBC



* information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).

CREATION 70

CREATION 70 Design	CREATION 70 Slate	CREATION 70 ⁽³⁾
--------------------	-------------------	----------------------------

DESCRIPTION / BESCHREIBUNG / BESCHRIJVING / DESCRIPTION / DESCRIPCIÓN / DESCRIZIONE / DESCRIZIONE / BESKRIVNING / BESKRIVELSE

Total Thickness / Gesamtdicke / Totale dikte / Épaisseur totale / Espesor total / Essesura total / Spessore totale / Total tjocklek / Total tykkelse	EN ISO 24346 (EN 428)	mm	2.50	2.40	2.50
	ASTM F386	inch	0.1	0.09	0.1
Thickness of the wearlayer / Dicke der Nuttschicht / Dikte van de slijtlaag / Épaisseur couche d'usure / Espesor capa de uso / Essesura camada de desgaste / Spessore strato di usura / Sliitskikt tjocklek / Tykkelse slitesjikt	EN ISO 24340 (EN 429)	mm	0.70	2.40	0.70
	ASTM F410	inch	0.03	0.09	0.03
Weight / Flächengewicht / Gewicht / Poids / Peso / Peso / Vikt / Vekt	EN ISO 23997 (EN 430)	g/m ²	4100	3400	3960
	EN ISO 24342 (EN 427)	mm	457x914 / 457x457 610x610 / 305x610 184x1371 / 184x1219 152x914 / 228x914 / 230x1500 Creation Mix: 152x914 / 228x914 / 76x914	305x610	152.4x914.4 101.6x914.4
Size / Format / Afmetingen / Format / Dimensiones / Dimensões / Dimensione / Storlek / Størrelse	ASTM F 536	inch	18"x36" / 18"x18" / 24"x24" / 12"x24" / 7.25"x54" / 7.25"x48" / 6"x36" / 9"x36" / 6"x36" / 9"x36" / 3"x36"	12"x24"	6"x36" 3.7"x36"

CLASSIFICATION / KLASSIFIKATION / CLASSIFICATIE / CLASSIFICATION / CLASIFICACIONES / CLASSIFICAÇÕES / CLASSIFICAZIONI / KLASSIFICERING / KLASSIFISERING

Norm/Product Specification / Produktnorm / Technische eigenschappen / Norme/Spécification produit / Normas / Normas / Norma prodotto / Norm/Produktspekifikation / Norm	-	-	EN ISO 10582 (EN 649)	EN ISO 10581 (EN 649)	EN ISO 10582 (EN 649)
European Classification / Europäische Klassifizierung / Europese classificatie / Classement européen / Clasificación europea / Classificação Europeia / Europea / Europaklass / Europaklasse	EN ISO 10874 (EN 685)	classe/class	34-43	34-43	34-43
Classement UPEEC	NF 189	-	U4P3E2C2	-	U4P3E2C2
Certification NF UPEEC	-	-	783/356-001.1	-	302-001.1
Fire Rating / Brandverhalten / Brand classificatie / Classement Feu / Fuego / Fogo / Reazione al fuoco / Brandklassificering / Brannklassifisering	EN 13 501-1	classe/class	Bfl-s1	Bfl-s1	Bfl-s1
Static Electrical Propensity / Begehuiladung / Elektrische eigenschappen / Potentiel de charge / Comportamiento electrostático / Comportamento electrostático / Resistenza elettrica / Elektrisk oppladning / Elektrostatisk oppladning	EN 1815	kV	< 2	< 2	< 2
Slip Resistance Wet / Rutschhemmung / Anti-slip / Glissance humide / Deslizamiento húmedo / Escorregamento húmido / Scivolosità umida(1) / Friktion / Friksjon, våt	DIN 51 130	classe/class	-	R9-R10-R11*	-

PERFORMANCES / TECHNISCHE EIGENSCHAFTEN / TESTRESULTAAT / PERFORMANCE / CUALIDADES TÉCNICAS / PERFORMANCES / CARATTERISTICHE TECNICHE / TESTVÄRDEN / TESTVERDIER

Wear Resistance / Verschleißverhalten / Slijtvastheid / Résistance à l'usure / Abrasión / Abrasão / Resistenza all'abrasione / Sitagemotstånd / Sliestykke	EN 660.2	mm ³	≤ 2.0	≤ 4.0	≤ 2.0
Wear Group / Verschleißgruppe / Groep slijtvastheid / Groupe d'abrasion / Grupo de abrasión / Grupo de abrasão / Gruppo di abrasione / Sliitklass / Sliitstjeppe	EN 649	-	T	P	T
Type Binder content / Bindemittelgehalt / Teneur en agent liant / Contenido en ligante / Conteúdo em ligante / Bindemedelsinnehåll / Bindemiddel innhold	EN ISO 10582	Type	I	-	I
Dimensional Stability / Maßstabilität / Maatvastheid / Stabilité dimensionnelle / Estabilidad dimensional / Estabilidade dimensional / Stabilità dimensionale / Dimensionsstabilitet / Dimensionsstabilität	EN ISO 10581	Type	-	I	-
Residual Indentation / Resteindruck / Indrukbelasting / Poinçonnement statique rémanent / Punzonamiento / Punçamento / Impronta / Intrycksbeständighet / Intrykksfasthet	EN ISO 24343-1 (EN 433)	mm	≤ 0.15	≤ 0.25	≤ 0.15
Impact sound insulation / Trittschallverbesserungsmaß / Geluidsisolatie / Isolation acoustique bruits de chocs / Acústica / Isolamento acústico / Stegjudsdämpning / Trinnylisdemping	EN ISO 717-2	dB	4	4	4
Room Impact / Raumschall / Loopgeluid / Sonorité à la marche / Rumore al calpestio / Sonoridad en la pisada / Sonoridade ao andar / Trumljud / Romlyd	NF S 31074	dB	76	76	76
Castor chair test / Stuhlrollenbeanspruchung / Rolweerstand bureaustoelen / Essai de la chaise à roulettes / Determinación del efecto de una silla con ruedas / Resistencia a cadeiras de rodas / Resistenza al passaggio di sed / Tålighet mot rullande stolstjul / Rullende stolstjul (Type W)	ISO 4918 (EN 425)	-	OK	OK	OK
Thermal Conductivity / Wärmeleitfähigkeit / Thermische weerstand / Conductivité thermique / Conductividad térmica / Contutividade térmica / Resistenza termica / Varmedledningsmotstånd / Varmemotstand	EN ISO 10456 (EN 12524)	W/(m.K)	0.25	0.25	0.25
Colour Fastness / Lichtechtheit / Lichtechtheit / Solidité lumière / Resistencia a la luz / Estabilidade das cores / Solidità alla luce / Färgbeständighet / Färgbeständighet	EN 20 105 - B02	degré / degree	≥ 6	≥ 6	≥ 6
Surface Treatment / Oberflächenvergütung / Öpperväktebehandling / Traitement de surface / Tratamiento de superficie / Tratamento de superficie / Tratamiento de superficie / Ytbehandling / Överflatebehandling	-	-	PUR+	PUR+	PUR+
Chemical Products Resistance / Verhalten gegenüber Chemikalien / Chemische beständighet / Résistance aux produits chimiques / Resistencia a los productos químicos / Resistência aos produtos químicos / Resistenza ai prodotti chimici / Kemikaliebeständighet / Kjemikaliebeständighet (2)	EN ISO 26987 (EN 423)	-	OK	OK	OK

ENVIRONMENT/INDOOR AIR QUALITY / UMWELT/RAUMLUFTQUALITÄT / ENVIRONNEMENT/QUALITE DE L'AIR INTERIEUR / MEDIO AMBIENTE/CALIDAD INTERIOR DEL AIRE INTERIOR / MEIO AMBIENTE/QUALIDADE DO AR INTERIOR / INNHOMSLUFT / EMISJONER

TVOC after 28 days / TVOC (28 Tage) / TVOC (28 dagen) / TVOC après 28 jours / TVOC (28 dias) / TVOC (28 dias) / TVOC (28 giorni) / TVOC (28 dagar) / TVOC (28 dager)	ISO 16000-6	µg/m ³	< 100	< 100	< 100
Certification / Zeugnis / Certificado / Certificação	-	-	-	-	Floorscore®

CE MARKING / CE KENNZEICHNUNG / EG_CONFORMITEITSMERK / MARQUAGE CE / MARCA DE CONFORMIDAD CE / MARCA DE CONFORMIDADE CE / MARCATURA CE DI CONFORMITA / CE-MÄRKNING / CE MARKING



EN 14041



(1) Ramp test with oil / Schiefe Ebene / Plan incliné avec huile - (2) Beständig gegenüber nicht färbenden alkoholhaltigen Handdesinfektionsmitteln, Haushaltschemikalien und verdünnten Säuren und Laugen bei kurzzeitiger Einwirkung

(3) Silversands / Classic Oak / Muir Oak / Lined Oak / Elm / Bedebury Oak / Sorb / Sycamore / Walnut / Buxton Oak

* Slip Resistance Wet / Rutschhemmung / Glissance humide : details on web site gerflor.com / einzelheiten auf der Web-site gerflor.com / détails sur le site internet gerflor.com

FRANCE: Gerflor Service Express

N° Azur 0 810 569 569 PRIX APPEL LOCAL N° Azur FAX 0 810 569 570 PRIX APPEL LOCAL

e-mail: contactfrance@gerflor.com

OTHER COUNTRIES: Gerflor International

Tel: +33 (0)4 74 05 40 00 - Fax: +33 (0)4 74 05 03 13 - e-mail: gerflorcontract@gerflor.com

Gerflor
theflooringgroup